

Appendix A biVABA References

1. ACVREP. Certified orientation and mobility specialist (COMS) - ACVREP. Acvrep.org. <https://www.acvrep.org/certifications/coms>. Accessed August 3, 2022.
2. Adair JC, Barrett AM. Spatial neglect: clinical and neuroscience review: a wealth of information on the poverty of spatial attention. *Ann N Y Acad Sci.* 2008;1142(1):21-43. doi:10.1196/annals.1444.008
3. Ahn SN, Yoo EY, Jung MY, Park HY, Lee JY, Choi YI. Comparison of Cognitive Orientation to daily Occupational Performance and conventional occupational therapy on occupational performance in individuals with stroke: A randomized controlled trial. *NeuroRehabilitation.* 2017;40(3):285-292. doi:10.3233/NRE-161416
4. Aimola L, Lane AR, Smith DT, Kerkhoff G, Ford GA, Schenk T. Efficacy and feasibility of home-based training for individuals with homonymous visual field defects. *Neurorehabil Neural Repair.* 2014;28(3):207-218. doi:10.1177/1545968313503219
5. Albright TD. High-level visual processing: cognitive influences. In: Kandel ER, Schwartz JH, Jessell TM, Sieglebaum SA, Hudspeth AJ, ed. *Principles of Neural Science.* New York, NY: McGraw-Hill; 2013.
6. Alvarez TL, Kim EH, Vicci VR, Dhar SK, Biswal BB, Barrett AM. Concurrent vision dysfunctions in convergence insufficiency with traumatic brain injury. *Optom Vis Sci.* 2012;89(12):1740-1751. doi:10.1097/OPX.0b013e3182772dce
7. American Occupational Therapy Association. Occupational Therapy Practice Framework: Domain and Process-fourth edition. *Am J Occup Ther.* 2020;74(Supplement_2):7412410010p1-7412410010p87. doi:10.5014/ajot.2020.74S2001
8. Aravich D, Troxell L. Clinical practice guidelines for occupational therapists in the evaluation and treatment of oculomotor impairment following traumatic brain injury. *Curr Phys Med Rehabil Rep.* 2021;9(3):93-99. doi:10.1007/s40141-021-00310-x
9. Armstrong RA. Visual problems associated with traumatic brain injury: Vision with traumatic brain injury. *Clin Exp Optom.* 2018;101(6):716-726. doi:10.1111/cxo.12670
10. Azouvi P, Olivier S, de Montety G, Samuel C, Louis-Dreyfus A, Tesio L. Behavioral assessment of unilateral neglect: study of the psychometric properties of the Catherine Bergego Scale. *Arch Phys Med Rehabil.* 2003;84(1):51-57. doi:10.1053/apmr.2003.50062
11. Azouvi P, Bartolomeo P, Beis JM, Perennou D, Pradat-Diehl P, Rousseaux M. A battery of tests for the quantitative assessment of unilateral neglect. *Restor Neurol Neurosci.* 2006;24(4-6):273-285.
12. Bainbridge D. *Beyond the Zonules of Zinn: A Fantastic Journey through Your Brain.* Harvard University Press; 2009.
13. Barrett B. Importance and relevance of eye dominance. Org.uk. <https://www.aop.org.uk/ot/cet/2016/06/20/the-importance-and-relevance-of-eye-dominance-part-1/article>. Accessed August 1, 2022.
14. Barrett LF. *How Emotions Are Made: The Secret Life of the Brain.* Boston, MA: Houghton Mifflin Harcourt Publishing Company; 2017.

15. Beasley IG, Davies LN. Visual stress symptoms secondary to stroke alleviated with spectral filters and precision tinted ophthalmic lenses: a case report: Visual stress symptoms secondary to stroke alleviated with spectral filters. *Clin Exp Optom.* 2013;96(1):117-120. doi:10.1111/j.1444-0938.2012.00794.x
16. Becchio C, Bertone C. Time and neglect: abnormal temporal dynamics in unilateral spatial neglect. *Neuropsychologia.* 2006;44(14):2775-2782. doi:10.1016/j.neuropsychologia.2006.06.011
17. Benjamins JS, Dalmaijer ES, Ten Brink AF, Nijboer TCW, Van der Stigchel S. Multi-target visual search organisation across the lifespan: cancellation task performance in a large and demographically stratified sample of healthy adults. *Neuropsychol Dev Cogn B Aging Neuropsychol Cogn.* 2019;26(5):731-748. doi:10.1080/13825585.2018.1521508
18. Berger S, Kaldenberg J, Selmane R, Carlo S. Effectiveness of interventions to address visual and visual-perceptual impairments to improve occupational performance in adults with traumatic brain injury: A systematic review. *Am J Occup Ther.* 2016;70(3):7003180010p1-7. doi:10.5014/ajot.2016.020875
19. Berger S, Porell F. The association between low vision and function. *J Aging Health.* 2008;20(5):504-525. doi:10.1177/0898264308317534
20. Bernardi NF, Cioffi MC, Ronchi R, et al. Improving left spatial neglect through music scale playing. *J Neuropsychol.* 2017;11(1):135-158. doi:10.1111/jnp.12078
21. Berthold-Lindstedt M, Ygge J, Borg K. Visual dysfunction is underestimated in patients with acquired brain injury. *J Rehabil Med.* 2017;49(4):327-332. doi:10.2340/16501977-221
22. Bertone A, Bettinelli L, Faubert J. The impact of blurred vision on cognitive assessment. *J Clin Exp Neuropsychol.* 2007;29(5):467-476. doi:10.1080/13803390600770793
23. Blackwell C, Cary K, Holst K, et al. Dynavision normative data for healthy adults: Reaction test program. *Am J Occup Ther.* 2020;74(1):7401185060p1-7401185060p6. doi:10.5014/ajot.2020.036251
24. Blasch BB, Welsh RL, Wiener WR. Introduction. In: Blasch BB, Welsh RL, Wiener WR, eds. *Foundations of Orientation and Mobility.* 2nd ed. AFB Press; 1997:1-6.
25. Blaylock SE, Warren M, Yuen HK, DeCarlo DK. Validation of a reading assessment for persons with homonymous hemianopia or quadrantanopia. *Arch Phys Med Rehabil.* 2016;97(9):1515-1519. doi:10.1016/j.apmr.2016.02.022
26. Boccia M, Di Vita A, Palermo L, Committeri G, Piccardi L, Guariglia C. The way to "left" Piazza del Popolo: damage to white matter tracts in representational neglect for places. *Brain Imaging Behav.* 2018;12(6):1720-1729. doi:10.1007/s11682-018-9839-7
27. Bodak R, Malhotra P, Bernardi NF, Cocchini G, Stewart L. Reducing chronic visuo-spatial neglect following right hemisphere stroke through instrument playing. *Front Hum Neurosci.* 2014;8:413. doi:10.3389/fnhum.2014.00413
28. Bodis-Wollner I, Diamond SP. The measurement of spatial contrast sensitivity in cases of blurred vision associated with cerebral lesions. *Brain.* 1976;99(4):695-710. doi:10.1093/brain/99.4.695
29. Bonato M, Cutini S. Increased attentional load moves the left to the right. *J Clin Exp Neuropsychol.* 2016;38(2):158-170. doi:10.1080/13803395.2015.1091065

biVABA: Brain Injury Visual Assessment Battery for Adults

30. Bowers AR. Driving with homonymous visual field loss: a review of the literature: Driving with homonymous visual field loss. *Clin Exp Optom.* 2016;99(5):402-418. doi:10.1111/cxo.12425
31. Brabyn J, Schneck M, Haegerstrom-Portnoy G, Lott L. The Smith-Kettlewell Institute (SKI) longitudinal study of vision function and its impact among the elderly: an overview. *Optom Vis Sci.* 2001;78(5):264-269. doi:10.1097/00006324-200105000-00008
32. Brahm KD, Wilgenburg HM, Kirby J, Ingalla S, Chang CY, Goodrich GL. Visual impairment and dysfunction in combat-injured servicemembers with traumatic brain injury. *Optom Vis Sci.* 2009;86(7):817-825. doi:10.1097/OPX.0b013e3181adff2d
33. Brooks J, Seeanner J, Hennessy S, et al. Interactive tools for measuring visual scanning performance and reaction time. *Am J Occup Ther.* 2017;71(2):7102350010p1-20102350020p6. doi:10.5014/ajot.2017.020461
34. Bruce BB, Zhang X, Kedar S, Newman NJ, Bioussse V. Traumatic homonymous hemianopia. *J Neurol Neurosurg Psychiatry.* 2006;77(8):986-988. doi:10.1136/jnnp.2006.088799
35. Bulens C, Meerwaldt JD, Van Der Wildt GJ, Keemink CJ. Spatial contrast sensitivity in unilateral cerebral ischaemic lesions involving the posterior visual pathway. *Brain.* 1989;112(2):507-520. doi:10.1093/brain/112.2.507
36. Butler BC, Lawrence M, Eskes GA, Klein R. Visual search patterns in neglect: comparison of peripersonal and extrapersonal space. *Neuropsychologia.* 2009;47(3):869-878. doi:10.1016/j.neuropsychologia.2008.12.020
37. Cantu R, Hyman M. Concussions and Our Kids: America's Leading Expert on How to Protect Young Athletes and Keep Sports Safe. Mariner Books; 2013.
38. Caulfield MD, Chen P, Barry MM, Barrett AM. Which perseverative behaviors are symptoms of spatial neglect? *Brain Cogn.* 2017;113:93-101. doi:10.1016/j.bandc.2016.11.002
39. Cavanaugh MR, Huxlin KR. Visual discrimination training improves Humphrey perimetry in chronic cortically induced blindness. *Neurology.* 2017;88(19):1856-1864. doi:10.1212/wnl.0000000000003921
40. Chan JW. Optic neuritis in multiple sclerosis. *Ocul Immunol Inflamm.* 2002;10(3):161-186. doi:10.1076/ocii.10.3.161.15603
41. Chechlacz M, Novick A, Rotshtein P, Bickerton WL, Humphreys GW, Demeyere N. The neural substrates of drawing: a voxel-based morphometry analysis of constructional, hierarchical, and spatial representation deficits. *J Cogn Neurosci.* 2014;26(12):2701-2715. doi:10.1162/jocn_a_00664
42. Chen MC, Tsai PL, Huang YT, Lin KC. Pleasant music improves visual attention in patients with unilateral neglect after stroke. *Brain Inj.* 2013;27(1):75-82. doi:10.3109/02699052.2012.722255
43. Chen P, Goedert KM. Clock drawing in spatial neglect: a comprehensive analysis of clock perimeter, placement, and accuracy: Clock drawing in spatial neglect. *J Neuropsychol.* 2012;6(2):270-289. doi:10.1111/j.1748-6653.2012.02028.x
44. Chokron S, Peyrin C, Perez C. Ipsilesional deficit of selective attention in left homonymous hemianopia and left unilateral spatial neglect. *Neuropsychologia.* 2019;128:305-314. doi:10.1016/j.neuropsychologia.2018.03.013

biVABA: Brain Injury Visual Assessment Battery for Adults

45. Chokron S, Dubourg L, Garric C, Martinelli F, Perez C. Dissociations between perception and awareness in hemianopia. *Restor Neurol Neurosci.* 2020;38(3):189-201. doi:10.3233/RNN-190951
46. Cicerone KD, Goldin Y, Ganci K, et al. Evidence-based cognitive rehabilitation: Systematic review of the literature from 2009 through 2014. *Arch Phys Med Rehabil.* 2019;100(8):1515-1533. doi:10.1016/j.apmr.2019.02.011
47. Cilo M, Politzer T, Ripley DL, Weintraub A. Vision examination of TBI patients in an acute rehabilitation hospital. *NeuroRehabilitation.* 2010;27(3):237-242. doi:10.3233/NRE-2010-0603
48. Ciuffreda KJ, Tannen B, Singman EL, Esther Han MH. *Brain Injury Medicine: Principles and Practice.* 3rd ed. (Zasler ND, Katz DI, Zafonte RD, eds.). New York, NY: Springer Publishing; 2021.
49. Ciuffreda KJ, Kapoor N, Rutner D, Suchoff IB, Han ME, Craig S. Occurrence of oculomotor dysfunctions in acquired brain injury: a retrospective analysis. *Optometry.* 2007;78(4):155-161. doi:10.1016/j.optm.2006.11.011
50. Cockerham GC, Goodrich GL, Weichel ED, et al. Eye and visual function in traumatic brain injury. *J Rehabil Res Dev.* 2009;46(6):811-818. doi:10.1682/jrrd.2008.08.0109
51. Cole M. When the left brain is not right the right brain may be left: report of personal experience of occipital hemianopia. *J Neurol Neurosurg Psychiatry.* 1999;67(2):169-173. doi:10.1136/jnnp.67.2.169
52. Copolillo A, Ivanoff SD. Assistive technology and home modification for people with neurovisual deficits. *NeuroRehabilitation.* 2011;28(3):211-220. doi:10.3233/NRE-2011-0650
53. Costela FM, Sheldon SS, Walker B, Woods RL. People with hemianopia report difficulty with TV, computer, cinema use, and photography. *Optom Vis Sci.* 2018;95(5):428-434. doi:10.1097/OPX.0000000000001215
54. Costello F. Vision disturbances in multiple sclerosis. *Semin Neurol.* 2016;36(2):185-195. doi:10.1055/s-0036-1579692
55. Cox JA, Aimola Davies AM. Keeping an eye on visual search patterns in visuospatial neglect: A systematic review. *Neuropsychologia.* 2020;146(107547):107547. doi:10.1016/j.neuropsychologia.2020.107547
56. Crotty M, van den Berg M, Hayes A, Chen C, Lange K, George S. Hemianopia after stroke: A randomized controlled trial of the effectiveness of a standardised versus an individualized rehabilitation program, on scanning ability whilst walking1. *NeuroRehabilitation.* 2018;43(2):201-209. doi:10.3233/nre-172377
57. Dawson DR, Gaya A, Hunt A, Levine B, Lemsky C, Polatajko HJ. Using the cognitive orientation to occupational performance (CO-OP) with adults with executive dysfunction following traumatic brain injury. *Can J Occup Ther.* 2009;76(2):115-127. doi:10.1177/000841740907600209
58. Dawson DR, Binns MA, Hunt A, Lemsky C, Polatajko HJ. Occupation-based strategy training for adults with traumatic brain injury: a pilot study. *Arch Phys Med Rehabil.* 2013;94(10):1959-1963. doi:10.1016/j.apmr.2013.05.021
59. de Haan GA, Heutink J, Melis-Dankers BJM, Brouwer WH, Tucha O. Difficulties in daily life reported by patients with homonymous visual field defects. *J Neuroophthalmol.* 2015;35(3):259-264. doi:10.1097/WNO.0000000000000244

60. de Haan GA, Melis-Dankers BJM, Brouwer WH, Tucha O, Heutink J. The effects of compensatory scanning training on mobility in patients with homonymous visual field defects: Further support, predictive variables and follow-up. *PLoS One.* 2016;11(12):e0166310. doi:10.1371/journal.pone.0166310
61. De Wit L, Ten Brink AF, Visser-Meily JMA, Nijboer TCW. Does prism adaptation affect visual search in spatial neglect patients: A systematic review. *J Neuropsychol.* 2018;12(1):53-77. doi:10.1111/jnp.12100
62. Digre KB, Brennan KC. Shedding light on photophobia. *J Neuroophthalmol.* 2012;32(1):68-81. doi:10.1097/WNO.0b013e3182474548
63. Doidge N. *The Brain That Changes Itself: Stories of Personal Triumph FromThe Frontiers of Brain Science.* Brunswick, VIC, Australia: Scribe Publications; 2010.
64. Domínguez-Borràs J, Saj A, Armony JL, Vuilleumier P. Emotional processing and its impact on unilateral neglect and extinction. *Neuropsychologia.* 2012;50(6):1054-1071. doi:10.1016/j.neuropsychologia.2012.03.003
65. Doricchi F, Thiebaut de Schotten M, Tomaiuolo F, Bartolomeo P. White matter (dis)connections and gray matter (dys)functions in visual neglect: gaining insights into the brain networks of spatial awareness. *Cortex.* 2008;44(8):983-995. doi:10.1016/j.cortex.2008.03.006
66. dos Santos NA, Andrade SM. Visual contrast sensitivity in patients with impairment of functional independence after stroke. *BMC Neurol.* 2012;12:90. doi:10.1186/1471-2377-12-90
67. Dowling JE. *Understanding the Brain: From Cells to Behavior to Cognition.* New York, NY: WW Norton; 2018.
68. Duffy MA. *Making Life More Livable: Simple Adaptations for Living at Home after Vision Loss.* 3rd ed. American Printing House for the Blind; 2015.
69. Dutton GN. Cognitive vision, its disorders and differential diagnosis in adults and children: knowing where and what things are. *EYE.* 2003;17(3):289-304. doi:10.1038/sj.eye.6700344
70. Eckstein MP. Visual search: a retrospective. *J Vis.* 2011;11(5). doi:10.1167/11.5.14
71. Ekker MS, Janssen S, Seppi K, et al. Ocular and visual disorders in Parkinson's disease: Common but frequently overlooked. *Parkinsonism Relat Disord.* 2017;40:1-10. doi:10.1016/j.parkreldis.2017.02.014
72. Elliott AF, McGwin G Jr, Owsley C. Vision impairment among older adults residing in assisted living. *J Aging Health.* 2013;25(2):364-378. doi:10.1177/0898264312472538
73. Ellison A, Dunne S, Lane AR. Real-world applications in vision and attention: How to help patients find their (golf) balls again. *Prog Brain Res.* 2020;253:169-200. doi:10.1016/bs.pbr.2020.04.003
74. Falkenberg HK, Mathisen TS, Ormstad H, Eilertsen G. "Invisible" visual impairments. A qualitative study of stroke survivors' experience of vision symptoms, health services and impact of visual impairments. *BMC Health Serv Res.* 2020;20(1):302. doi:10.1186/s12913-020-05176-8
75. Feaster HT, Bruce JM. Visual acuity is associated with performance on visual and non-visual neuropsychological tests in multiple sclerosis. *Clin Neuropsychol.* 2011;25(4):640-651. doi:10.1080/13854046.2011.565075

biVABA: Brain Injury Visual Assessment Battery for Adults

76. Finn C. An occupation-based approach to management of concussion: Guidelines for practice. *Open J Occup Ther.* 2019;7(2). doi:10.15453/2168-6408.1550
77. Fimreite V, Willeford KT, Ciuffreda KJ. Effect of chromatic filters on visual performance in individuals with mild traumatic brain injury (mTBI): A pilot study. *J Optom.* 2016;9(4):231-239. doi:10.1016/j.optom.2016.04.004
78. About. FOREA. <https://www.fore-a.net/about>. Accessed August 2, 2022.
79. Fox SM, Koons P, Dang SH. Vision rehabilitation after traumatic brain injury. *Phys Med Rehabil Clin N Am.* 2019;30(1):171-188. doi:10.1016/j.pmr.2018.09.001
80. Freedman EG. Coordination of the eyes and head during visual orienting. *Exp Brain Res.* 2008;190(4):369-387. doi:10.1007/s00221-008-1504-8
81. Freedman DJ, Ibos G. An integrative framework for sensory, motor, and cognitive functions of the posterior parietal cortex. *Neuron.* 2018;97(6):1219-1234. doi:10.1016/j.neuron.2018.01.044
82. Frolov A, Feuerstein J, Subramanian PS. Homonymous Hemianopia and Vision Restoration Therapy. *Neurol Clin.* 2017;35(1):29-43. doi:10.1016/j.ncl.2016.08.010
83. Gammeri R, Iacono C, Ricci R, Salatino A. Unilateral spatial neglect after stroke: Current insights. *Neuropsychiatr Dis Treat.* 2020;16:131-152. doi:10.2147/NDT.S171461
84. Gassel MM, Williams D. Visual function in patients with homonymous hemianopia: The completion phenomenon; Insight and attitude to the defect; And visual functional efficiency. *Brain.* 1963;86(2):229-260. doi:10.1093/brain/86.2.229
85. Ghannam ASB, Subramanian PS. Neuro-ophthalmic manifestations of cerebrovascular accidents. *Curr Opin Ophthalmol.* 2017;28(6):564-572. doi:10.1097/ICU.0000000000000414
86. Gibert CD. Intermediate-level visual processing and visual primitives. In: Kandel ER, Schwartz JH, Jessell TM, Sieglebaum SA, Hudspeth AJ, eds. *Principles of Neural Science.* New York, NY: McGraw-Hill; 2013.
87. Gilbert CD. The constructive nature of visual processing. In: Kandel ER, Schwartz JH, Jessel TM, Sieglebaum SA, Hudspeth AJ, eds. *Principles of Neural Science.* New York, NY: McGraw-Hill; 2013.
88. Gillen G, Nilsen DM, Attridge J, et al. Effectiveness of interventions to improve occupational performance of people with cognitive impairments after stroke: an evidence-based review. *Am J Occup Ther.* 2015;69(1):6901180040p1-9. doi:10.5014/ajot.2015.012138
89. Goldberg ME, Wurtz RH. Visual processing and action. In: Er IK, Schwartz JH, Jessell TM, Sieglebaum SA, Hudspeth AJ, eds. *Principles of Neural Science.* New York, NY: McGraw-Hill; 2013.
90. Goldberg E. *The New Executive Brain: Frontal Lobes in a Complex World.* New York, NY: Oxford University Press; 2009.
91. Goodwin D. Homonymous hemianopia: challenges and solutions. *Clin Ophthalmol.* 2014;8:1919-1927. doi:10.2147/OPHTHS59452
92. Gratton C, Nomura EM, Pérez F, D'Esposito M. Focal brain lesions to critical locations cause widespread disruption of the modular organization of the brain. *J Cogn Neurosci.* 2012;24(6):1275-1285. doi:10.1162/jocn_a_00222

93. Greene JDW. Apraxia, agnosias, and higher visual function abnormalities. *J Neurol Neurosurg Psychiatry*. 2005;76 Suppl 5(suppl_5):v25-34. doi:10.1136/jnnp.2005.081885
94. Green M, Barstow B, Vogtle L. Lighting as a compensatory strategy for acquired visual deficits after stroke: Two case reports. *Am J Occup Ther*. 2018;72(2):7202210010p1-7202210010p6. doi:10.5014/ajot.2018.023382
95. Green W, Ciuffreda KJ, Thiagarajan P, Szymanowicz D, Ludlam DP, Kapoor N. Static and dynamic aspects of accommodation in mild traumatic brain injury: a review. *Optometry*. 2010;81(3):129-136. doi:10.1016/j.optm.2009.07.015
96. Greenwald BD, Kapoor N, Singh AD. Visual impairments in the first year after traumatic brain injury. *Brain Inj*. 2012;26(11):1338-1359. doi:10.3109/02699052.2012.706356
97. Ha Dinh TT, Bonner A, Clark R, Ramsbotham J, Hines S. The effectiveness of the teach-back method on adherence and self-management in health education for people with chronic disease: a systematic review. *JBI Database System Rev Implement Rep*. 2016;14(1):210-247. doi:10.11124/jbisrir-2016-2296
98. Hanna K, Mercer D, Rowe F. A qualitative exploration of the sociology of poststroke visual impairments and the associated health inequalities. *Brain Behav*. 2020;10(8):e01738. doi:10.1002/brb3.1738
99. Han MHE, Craig SB, Rutner D, Kapoor N, Ciuffreda KJ, Suchoff IB. Medications prescribed to brain injury patients: a retrospective analysis. *Optometry*. 2008;79(5):252-258. doi:10.1016/j.optm.2008.01.001
100. Hawkins J, Ahmad S. Why neurons have thousands of synapses, a theory of sequence memory in neocortex. *Front Neural Circuits*. 2016;10:23. doi:10.3389/fncir.2016.00023
101. Hawkins J, Ahmad S, Cui Y. A theory of how columns in the neocortex enable learning the structure of the world. *Front Neural Circuits*. 2017;11. doi:10.3389/fncir.2017.00081
102. Hazelton C, Pollock A, Taylor A, Davis B, Walsh G, Brady MC. A qualitative exploration of the effect of visual field loss on daily life in home-dwelling stroke survivors. *Clin Rehabil*. 2019;33(7):1264-1273. doi:10.1177/0269215519837580
103. Hayes A, Chen CS, Clarke G, Thompson A. Functional improvements following the use of the NVT Vision Rehabilitation program for patients with hemianopia following stroke. *NeuroRehabilitation*. 2012;31(1):19-30. doi:10.3233/NRE-2012-0771
104. Hepworth L, Rowe F, Walker M, et al. Post-stroke visual impairment: A systematic literature review of types and recovery of visual conditions. *Ophthalmol Res Int J*. 2016;5(1):1-43. doi:10.9734/or/2016/21767
105. Hegde S. Music-based cognitive remediation therapy for patients with traumatic brain injury. *Front Neurol*. 2014;5:34. doi:10.3389/fneur.2014.00034
106. Herdman SJ. Treatment of vestibular disorders in traumatically brain-injured patients. *J Head Trauma Rehabil*. 1990;5(4):63-76. doi:10.1097/00001199-199012000-00008
107. Howard C, Rowe FJ. Adaptation to poststroke visual field loss: A systematic review. *Brain Behav*. 2018;8(8):e01041. doi:10.1002/brb3.1041

biVABA: Brain Injury Visual Assessment Battery for Adults

108. Horton JC, Economides JR, Adams DL. The mechanism of macular sparing. *Annu Rev Vis Sci.* 2021;7(1):155-179. doi:10.1146/annurev-vision-100119-125406
109. Huang RS, Sereno M. Multisensory and sensorimotor maps. In: Vallar G, Coslett HB, eds. *Handbook of Clinical Neurology*. Philadelphia, PA: Elsevier - Health Sciences Division; 2018:141-161.
110. Hunt AW, Paniccia M, Mah K, Dawson D, Reed N. Feasibility and effects of the CO-OP approachTM in postconcussion rehabilitation. *Am J Occup Ther.* 2019;73(1):7301205060p1-7301205060p11. doi:10.5014/ajot.2019.027995
111. Hunt LA, Bassi CJ. Near-vision acuity levels and performance on neuropsychological assessments used in occupational therapy. *Am J Occup Ther.* 2010;64(1):105-113. doi:10.5014/ajot.64.1.105
112. Husain M, Kennard C. Distractor-dependent frontal neglect. *Neuropsychologia.* 1997;35(6):829-841. doi:10.1016/s0028-3932(97)00034-1
113. Hyvarinen L. 1998.
114. Ichhpujani P, Thakur S, Spaeth GL. Contrast sensitivity and glaucoma. *J Glaucoma.* 2020;29(1):71-75. doi:10.1097/IJG.0000000000001379
115. Ishai S. What do eye-fixation patterns tell us about unilateral spatial neglect? *Restor Neurol Neurosci.* 2006;24(4-6):261-271.
116. Jackson GR, Owsley C. Visual dysfunction, neurodegenerative diseases, and aging. *Neurol Clin.* 2003;21(3):709-728. doi:10.1016/s0733-8619(02)00107-x
117. Jones BE. Arousal systems. *Front Biosci.* 2003;8(6):s438-51. doi:10.2741/1074
118. Jones GC, Rovner BW, Crews JE, Danielson ML. Effects of depressive symptoms on health behavior practices among older adults with vision loss. *Rehabil Psychol.* 2009;54(2):164-172. doi:10.1037/a0015910
119. Kandula NR, Malli T, Zei CP, Larsen E, Baker DW. Literacy and retention of information after a multimedia diabetes education program and teach-back. *J Health Commun.* 2011;16 Suppl 3(sup3):89-102. doi:10.1080/10810730.2011.604382
120. Karnath HO, Rennig J, Johannsen L, Rorden C. The anatomy underlying acute versus chronic spatial neglect: a longitudinal study. *Brain.* 2011;134(Pt 3):903-912. doi:10.1093/brain/awq355
121. Kapoor N, Ciuffreda KJ. Vision disturbances following traumatic brain injury. *Curr Treat Options Neurol.* 2002;4(4):271-280. doi:10.1007/s11940-002-0027-z
122. Kasneci E, Sippel K, Heister M, et al. Homonymous visual field loss and its impact on visual exploration: A supermarket study. *Transl Vis Sci Technol.* 2014;3(6):2. doi:10.1167/tvst.3.6.2
123. Kawabata K, Hoshiyama M. Meaningful occupation: self-awareness intervention for patients with unilateral spatial neglect. *Sci Rep.* 2019;66:4-10. <https://www.ncbi.nlm.nih.gov/pubmed/31388057>.
124. Kerkhoff G, Schenk T. Rehabilitation of neglect: an update. *Neuropsychologia.* 2012;50(6):1072-1079. doi:10.1016/j.neuropsychologia.2012.01.024

biVABA: Brain Injury Visual Assessment Battery for Adults

125. Kerkhoff G. Neurovisual rehabilitation: recent developments and future directions. *J Neurol Neurosurg Psychiatry*. 2000;68(6):691-706. doi:10.1136/jnnp.68.6.691
126. Kettunen JE, Nurmi M, Dastidar P, Jehkonen M. Recovery from visual neglect after right hemisphere stroke: does starting point in cancellation tasks change after 6 months? *Clin Neuropsychol*. 2012;26(2):305-320. doi:10.1080/13854046.2011.648213
127. Khan A, Petropoulos IN, Ponirakis G, Malik RA. Visual complications in diabetes mellitus: beyond retinopathy. *Diabet Med*. 2017;34(4):478-484. doi:10.1111/dme.13296
128. Khan J. Blunt trauma to orbital soft tissues. In: Shingleton BJ, ed. *Eye Trauma*. St. Louis, MO: Mosby; 1991.
129. Kortman B, Nicholls K. Assessing for unilateral spatial neglect using eye-tracking glasses: A feasibility study. *Occup Ther Health Care*. 2016;30(4):344-355. doi:10.1080/07380577.2016.1208858
130. Klinke ME, Zahavi D, Hjaltason H, Thorsteinsson B, Jónsdóttir H. "getting the left right": The experience of hemispatial neglect after stroke: The experience of hemispatial neglect after stroke. *Qual Health Res*. 2015;25(12):1623-1636. doi:10.1177/1049732314566328
131. Krishnan V, Cho YH, Mohamed O. Role of impaired vision during dual-task walking in young and older adults. *Gait Posture*. 2017;57:136-140. doi:10.1016/j.gaitpost.2017.06.006
132. Kusne Y, Wolf AB, Townley K, Conway M, Peyman GA. Visual system manifestations of Alzheimer's disease. *Acta Ophthalmol*. 2017;95(8):e668-e676. doi:10.1111/aos.13319
133. Land MF. Eye movements and the control of actions in everyday life. *Prog Retin Eye Res*. 2006;25(3):296-324. doi:10.1016/j.preteyeres.2006.01.002
134. Leat SJ, Zecevic AA, Keeling A, Hileeto D, Labreche T, Brymer C. Prevalence of vision loss among hospital in-patients; a risk factor for falls? *Ophthalmic Physiol Opt*. 2018;38(1):106-114. doi:10.1111/opo.12428
135. Leff AP, Scott SK, Crewes H, et al. Impaired reading in patients with right hemianopia. *Ann Neurol*. 2000;47(2):171-178.
136. Legge GE. *Psychophysics of Reading in Normal and Low Vision*. London, England: CRC Press; 2021.
137. Leigh RJ, Zee DS. *Neurology of Eye Movements*. Cary, NC: Oxford University Press; 2015.
138. Levine DH. Unawareness of visual and sensorimotor deficits: a hypothesis. *J Perinatol*. 1990;13.
139. Lin H, Lema GMC, Yoganathan P. Prognostic indicators of visual acuity after open globe injury and retinal detachment repair. *Retina*. 2016;36(4):750-757. doi:10.1097/IAE.0000000000000798
140. Lotery AJ, Wiggam MI, Jackson AJ, et al. Correctable visual impairment in stroke rehabilitation patients. *Age Ageing*. 2000;29(3):221-222. doi:10.1093/ageing/29.3.221
141. Lowe MX, Rajsic J, Ferber S, Walther DB. Discriminating scene categories from brain activity within 100 milliseconds. *Cortex*. 2018;106:275-287. doi:10.1016/j.cortex.2018.06.006
142. Lund P, Moir C, Kristalovich L, Ben Mortenson W. Evaluating the measurement properties of the ScanCourse, a dual-task assessment of visual scanning. *Am J Occup Ther*. 2020;74(1):7401185040p1-7401185040p7. doi:10.5014/ajot.2019.032052

143. Luukkainen-Markkula R, Tarkka IM, Pitkanen K, Sivenius J, Hamalainen H. Comparison of the Behavioural Inattention Test and the Catherine Bergego Scale in assessment of hemispatial neglect. *Neuropsychol Rehabil.* 2011;21(1):103-116. doi:10.1080/09602011.2010.531619
144. Machner B, Sprenger A, Sander T, et al. Visual search disorders in acute and chronic homonymous hemianopia: lesion effects and adaptive strategies: Lesion effects and adaptive strategies. *Ann N Y Acad Sci.* 2009;1164(1):419-426. doi:10.1111/j.1749-6632.2009.03769.x
145. Mac Grory B, Schrag M, Bioussse V, et al. Management of central retinal artery occlusion: A scientific statement from the American heart association. *Stroke.* 2021;52(6):e282-e294. doi:10.1161/STR.0000000000000366
146. Magone MT, Kwon E, Shin SY. Chronic visual dysfunction after blast-induced mild traumatic brain injury. *J Rehabil Res Dev.* 2014;51(1):71-80. doi:10.1682/JRRD.2013.01.0008
147. Maia da Silva MN, Millington RS, Bridge H, James-Galton M, Plant GT. Visual dysfunction in posterior cortical atrophy. *Front Neurol.* 2017;8. doi:10.3389/fneur.2017.00389
148. Marques CLS, de Souza JT, Gonçalves MG, et al. Validation of the Catherine Bergego Scale in patients with unilateral spatial neglect after stroke. *Dement Neuropsychol.* 2019;13(1):82-88. doi:10.1590/1980-57642018dn13-010009
149. Master CL, Scheiman M, Gallaway M, et al. Vision diagnoses are common after concussion in adolescents. *Clin Pediatr (Phila).* 2016;55(3):260-267. doi:10.1177/0009922815594367
150. Medina J. Brain Rules: 12 Principles for Surviving and Thriving at Work, Home, and School. Seattle, WA: Pear Press; 2008.
151. Mennem TA, Warren M, Yuen HK. Preliminary validation of a vision-dependent activities of daily living instrument on adults with homonymous hemianopia. *Am J Occup Ther.* 2012;66(4):478-482. doi:10.5014/ajot.2012.004762
152. Meister M, Tessier-Lavigne M. Low level visual processing: the retina. In: Kandel ER, Schwartz JH, Jessell TM, Sieglebaum SA, Hudspeth AJ, eds. *Principles of Neural Science.* New York, NY: McGraw-Hill; 2013.
153. Merezhinskaya N, Mallia RK, Park D, Millian-Morell L, Barker FM. Photophobia associated with traumatic brain injury: A systematic review and meta-analysis: A systematic review and meta-analysis. *Optom Vis Sci.* 2021;98(8):891-900. doi:10.1097/OPX.0000000000001757
154. Milder E, Davis K. Ocular trauma and glaucoma. *Int Ophthalmol Clin.* 2008;48(4):47-64. doi:10.1097/IIO.0b013e318187fcb8
155. Milner AD, McIntosh RD. The neurological basis of visual neglect. *Curr Opin Neurol.* 2005;18(6):748-753. doi:10.1097/01.wco.0000191512.60368.ee
156. Mort DJ, Kennard C. Visual search and its disorders. *Curr Opin Neurol.* 2003;16(1):51-57. doi:10.1097/01.wco.0000053590.70044.c5
157. Neider MB, Zelinsky GJ. Scene context guides eye movements during visual search. *Vision Res.* 2006;46(5):614-621. doi:10.1016/j.visres.2005.08.025

biVABA: Brain Injury Visual Assessment Battery for Adults

- 158.Niemeier JP. The Lighthouse Strategy: use of a visual imagery technique to treat visual inattention in stroke patients. *Brain Inj.* 1998;12(5):399-406. doi:10.1080/026990598122511
- 159.Niemeier JP, Cifu DX, Kishore R. The lighthouse strategy: Improving the functional status of patients with unilateral neglect after stroke and brain injury using a visual imagery intervention. *Top Stroke Rehabil.* 2001;8(2):10-18. doi:10.1310/7UKK-HJOF-GDWF-HHM8
- 160.Norup A, Guldberg AM, Friis CR, Deurell EM, Forchhammer HB. An interdisciplinary visual team in an acute and sub-acute stroke unit: Providing assessment and early rehabilitation. *NeuroRehabilitation.* 2016;39(3):451-461. doi:10.3233/NRE-161376
- 161.Nurmi L, Ruuskanen EI, Nurmi M, et al. Occurrence and recovery of different neglect-related symptoms in right hemisphere infarct patients during a 1-year follow-up. *J Int Neuropsychol Soc.* 2018;24(6):617-628. doi:10.1017/S1355617718000176
- 162.O'Farrell L, Lewis S, McKenzie A, Jones L. Charles Bonnet syndrome: A review of the literature. *J Vis Impair Blind.* 2010;104(5):261-274. doi:10.1177/0145482x1010400502
- 163.Ohmatsu S, Takamura Y, Fujii S, Tanaka K, Morioka S, Kawashima N. Visual search pattern during free viewing of horizontally flipped images in patients with unilateral spatial neglect. *Cortex.* 2019;113:83-95. doi:10.1016/j.cortex.2018.11.029
- 164.Ong YH, Brown MM, Robinson P, Plant GT, Husain M, Leff AP. Read-Right: a “web app” that improves reading speeds in patients with hemianopia. *J Neurol.* 2012;259(12):2611-2615. doi:10.1007/s00415-012-6549-8
- 165.Ostadimoghaddam H, Hashemi H, Nabovati P, Yekta A, Khabazkhoob M. The distribution of near point of convergence and its association with age, gender and refractive error: a population-based study. *Clin Exp Optom.* 2017;100(3):255-259. doi:10.1111/cxo.12471
- 166.Owsley C. Contrast sensitivity. *Ophthalmol Clin North Am.* 2003;16(2):171-177. doi:10.1016/s0896-1549(03)00003-8
- 167.Owsley C, McGwin G Jr, Scilley K, Meek GC, Seker D, Dyer A. Effect of refractive error correction on health-related quality of life and depression in older nursing home residents. *Arch Ophthalmol.* 2007;125(11):1471-1477. doi:10.1001/archophth.125.11.1471
- 168.Owsley C, McGwin G, Scilley K, Meek GC, Dyer A, Seker D. The visual status of older persons residing in nursing homes. *Arch Ophthalmol.* 2007;125(7):925-930. doi:10.1001/archophth.125.7.925
- 169.Pambakian AL, Wooding DS, Patel N, Morland AB, Kennard C, Mannan SK. Scanning the visual world: a study of patients with homonymous hemianopia. *J Neurol Neurosurg Psychiatry.* 2000;69(6):751-759. doi:10.1136/jnnp.69.6.751
- 170.Papageorgiou E, Hardiess G, Schaeffel F, et al. Assessment of vision-related quality of life in patients with homonymous visual field defects. *Arbeitsphysiologie.* 2007;245(12):1749-1758. doi:10.1007/s00417-007-0644-z
- 171.Park UC, Kim SJ, Hwang JM, Yu YS. Clinical features and natural history of acquired third, fourth, and sixth cranial nerve palsy. *EYE.* 2008;22(5):691-696. doi:10.1038/sj.eye.6702720

biVABA: Brain Injury Visual Assessment Battery for Adults

172. Park WL, Mayer RS, Moghimi C, Park JM, Deremeik JT. Rehabilitation of hospital inpatients with visual impairments and disabilities from systemic illness. *Arch Phys Med Rehabil.* 2005;86(1):79-81. doi:10.1016/j.apmr.2004.01.021
173. Phillips PH. Treatment of diplopia. *Semin Neurol.* 2007;27(3):288-298. doi:10.1055/s-2007-979680
174. Politzer T. Case studies of a new approach using partial and selective occlusion for the clinical treatment of diplopia. *NeuroRehabilitation.* 1996;6(3):213-217. doi:10.1016/1053-8135(96)00167-9
175. Ponchillia PE, Panchillia SV. Foundations of Rehabilitation Teaching: With Persons Who Are Blind or Visually Impaired. AFB Press; 1996.
176. Pollock A, Hazelton C, Rowe FJ, et al. Interventions for visual field defects in people with stroke. *Cochrane Database Syst Rev.* 2019;5:CD008388. doi:10.1002/14651858.CD008388.pub3
177. Pouget MC, Lévy-Benheton D, Prost M, Tilikete C, Husain M, Jacquin-Courtois S. Acquired visual field defects rehabilitation: critical review and perspectives. *Ann Phys Rehabil Med.* 2012;55(1):53-74. doi:10.1016/j.rehab.2011.05.006
178. Priftis K, Passarini L, Pilosio C, Meneghelli F, Pitteri M. Visual scanning training, limb activation treatment, and prism adaptation for rehabilitating left neglect: Who is the winner? *Front Hum Neurosci.* 2013;7:360. doi:10.3389/fnhum.2013.00360
179. Qiang W, Sonoda S, Suzuki M, Okamoto S, Saitoh E. Reliability and validity of a wheelchair collision test for screening behavioral assessment of unilateral neglect after stroke. *Am J Phys Med Rehabil.* 2005;84(3):161-166. doi:10.1097/01.phm.0000154902.79990.12
180. Racette L, Fischer M, Bebie H, Hollo G, Johnson CA, Matsumoto C. What is perimetry. In: Haag-Streit AG, ed. Visual Field Digest: A Guide to Perimetry and the Octopus Perimeter. https://www.haag-streit.com/haag-streit-diagnostics/campaigns/visual-fielddigest/?tx_powermail_pi1%5Baction%5D=create&tx_powermail_pi1%5Bcontroller%5D=Form&cHash=bf8d99161058eb54f383fe8f494dd7c.
181. Ratey JJ. A User's Guide to the Brain. New York, NY: Little, Brown & Company; 2001.
182. Rayner K. Eye movements in reading and information processing: 20 years of research. *Psychol Bull.* 1998;124(3):372-422. doi:10.1037/0033-2909.124.3.372
183. Reddy AVC, Mani R, Selvakumar A, Hussaindeen JR. Reading eye movements in traumatic brain injury. *J Optom.* 2020;13(3):155-162. doi:10.1016/j.joptom.2019.10.001
184. Refractive errors. Nih.gov. <https://www.nei.nih.gov/learn-about-eye-health/eye-conditions-and-diseases/refractive-errors>. Accessed August 2, 2022.
185. Robertson IH. Do we need the "lateral" in unilateral neglect? Spatially nonselective attention deficits in unilateral neglect and their implications for rehabilitation. *Neuroimage.* 2001;14(1 Pt 2):S85-90. doi:10.1006/nimg.2001.0838
186. Roberts PS, Rizzo JR, Hreha K, et al. A conceptual model for vision rehabilitation. *J Rehabil Res Dev.* 2016;53(6):693-704. doi:10.1682/jrrd.2015.06.0113
187. Roche S, Vogtle L, Warren M, O'Connor KA. Assessment of the visual status of older adults on an orthopedic unit. *Am J Occup Ther.* 2014;68(4):465-471. doi:10.5014/ajot.2014.010231

188. Rode G, Pagliari C, Huchon L, Rossetti Y, Pisella L. Semiology of neglect: An update. *Ann Phys Rehabil Med.* 2017;60(3):177-185. doi:10.1016/j.rehab.2016.03.003
189. Rode G, Michel C, Rossetti Y, Boisson D, Vallar G. Left size distortion (hyperschematia) after right brain damage. *Neurology.* 2006;67(10):1801-1808. doi:10.1212/01.wnl.0000244432.91915.d0
190. Rode G, Vallar G, Chabanat E, Revol P, Rossetti Y. What do spatial distortions in patients' drawing after right brain damage teach us about space representation in art? *Front Psychol.* 2018;9. doi:10.3389/fpsyg.2018.01058
191. Rodriguez AR, Barton JJS. The 20/20 patient who can't read. *Can J Ophthalmol.* 2015;50(4):257-264. doi:10.1016/j.jcjo.2015.05.013
192. Roizen N, Kasza K, Garrison T, et al. Impact of visual impairment on measures of cognitive function for children with congenital toxoplasmosis: implications for compensatory intervention strategies. *Pediatrics.* 2006;118(2):e379-90. doi:10.1542/peds.2005-1530
193. Ronchi R, Posteraro L, Fortis P, Bricolo E, Vallar G. Perseveration in left spatial neglect: drawing and cancellation tasks. *Cortex.* 2009;45(3):300-312. doi:10.1016/j.cortex.2008.03.012
194. Rosner MS, Feinberg DL, Doble JE, Rosner AJ. Treatment of vertical heterophoria ameliorates persistent post-concussive symptoms: A retrospective analysis utilizing a multi-faceted assessment battery. *Brain Inj.* 2016;30(3):311-317. doi:10.3109/02699052.2015.1113564
195. Rowe FJ, Hepworth LR, Howard C, Hanna KL, Cheyne CP, Currie J. High incidence and prevalence of visual problems after acute stroke: An epidemiology study with implications for service delivery. *PLoS One.* 2019;14(3):e0213035. doi:10.1371/journal.pone.0213035
196. Rowe F, Wright D, Brand D, et al. Reading difficulty after stroke: ocular and non ocular causes. *Int J Stroke.* 2011;6(5):404-411. doi:10.1111/j.1747-4949.2011.00583.x
197. Rowe F, VIS group UK. Prevalence of ocular motor cranial nerve palsy and associations following stroke. *EYE.* 2011;25(7):881-887. doi:10.1038/eye.2011.78
198. Rowe FJ, Hanna K, Evans JR, et al. Interventions for eye movement disorders due to acquired brain injury. *Cochrane Libr.* 2018;2018(3). doi:10.1002/14651858.cd011290.pub2
199. Rowe FJ, Conroy EJ, Bedson E, et al. A pilot randomized controlled trial comparing effectiveness of prism glasses, visual search training and standard care in hemianopia. *Acta Neurol Scand.* 2017;136(4):310-321. doi:10.1111/ane.12725
200. Rowe FJ, Sueke H, Gawley SD. Comparison of Damato campimetry and Humphrey automated perimetry results in a clinical population. *Br J Ophthalmol.* 2010;94(6):757-762. doi:10.1136/bjo.2009.161240
201. Rucker JC, Tomsak RL. Binocular diplopia. A practical approach: A practical approach. *Neurologist.* 2005;11(2):98-110. doi:10.1097/01.nrl.0000156318.80903.b1
202. Rutstein RP, Daum KM. Anomalies of Binocular Vision: Diagnosis and Management. St. Louis, MO: Mosby; 1998.
203. Russell C, Li K, Malhotra PA. Harnessing motivation to alleviate neglect. *Front Hum Neurosci.* 2013;7:230. doi:10.3389/fnhum.2013.00230

- 204.Saeidi Borujeni M, Hosseini SA, Akbarfahimi N, Ebrahimi E. Cognitive orientation to daily occupational performance approach in adults with neurological conditions: A scoping review. *Med J Islam Repub Iran.* 2019. doi:10.47176/mjiri.33.99
- 205.Sahraie A, Cederblad AMH, Kenkel S, Romano JG. Efficacy and predictors of recovery of function after eye movement training in 296 hemianopic patients. *Cortex.* 2020;125:149-160. doi:10.1016/j.cortex.2019.12.005
- 206.Sand KM, Wilhelmsen G, Naess H, Midelfart A, Thomassen L, Hoff JM. Vision problems in ischaemic stroke patients: effects on life quality and disability. *Eur J Neurol.* 2016;23 Suppl 1:1-7. doi:10.1111/ene.12848
- 207.Savitt J, Mathews M. Treatment of visual disorders in Parkinson disease. *Curr Treat Options Neurol.* 2018;20(8):30. doi:10.1007/s11940-018-0519-0
- 208.Scheiman MM, Talasan H, Mitchell GL, Alvarez TL. Objective assessment of vergence after treatment of concussion-related CI: A pilot study: A pilot study. *Optom Vis Sci.* 2017;94(1):74-88. doi:10.1097/opx.0000000000000936
- 209.Scheiman M, Mitchell GL, Cotter S, et al. A randomized clinical trial of vision therapy/orthoptics versus pencil pushups for the treatment of convergence insufficiency in young adults. *Optom Vis Sci.* 2005;82(7):583-595. doi:10.1097/01.opx.0000171331.36871.2f
- 210.Schuchard RA. Adaptation to macular scotomas in persons with low vision. *Am J Occup Ther.* 1995;49(9):870-876. doi:10.5014/ajot.49.9.870
- 211.Schuett S, Zihl J. Does age matter? Age and rehabilitation of visual field disorders after brain injury. *Cortex.* 2013;49(4):1001-1012. doi:10.1016/j.cortex.2012.04.008
- 212.Schuett S. The rehabilitation of hemianopic dyslexia. *Nat Rev Neurol.* 2009;5(8):427-437. doi:10.1038/nrneurol.2009.97
- 213.Seiller B, Warren M. Assessment of visual impairment following adult acquired brain injury. In: Grabois M, Garrison SJ, Hart KA, Lehmkohl LD, eds. *Physical Medicine and Rehabilitation: The Complete Approach.* Cambridge MA: Blackwell Science; 2000:342-350.
- 214.Sen N. An insight into the vision impairment following traumatic brain injury. *Neurochem Int.* 2017;111:103-107. doi:10.1016/j.neuint.2017.01.019
- 215.Sargent J. An investigation into perceptual completion in blind areas of the visual field. *Brain.* 1988;111(2):347-373. doi:10.1093/brain/111.2.347
- 216.Shepherd D, Landon J, Kalloor M, et al. The association between health-related quality of life and noise or light sensitivity in survivors of a mild traumatic brain injury. *Qual Life Res.* 2020;29(3):665-672. doi:10.1007/s11136-019-02346-y
- 217.Skeel RL, Schutte C, van Voorst W, Nagra A. The relationship between visual contrast sensitivity and neuropsychological performance in a healthy elderly sample. *J Clin Exp Neuropsychol.* 2006;28(5):696-705. doi:10.1080/13803390590954173
- 218.Simon RP, Aminoff MJ, Greenberg DA. Disturbances of vision. In: *Clinical Neurology.* Stamford, CT: Appleton and Lange; 1989:106-128.

219. Spaccavento S, Cellamare F, Cafforio E, Loverre A, Craca A. Efficacy of visual-scanning training and prism adaptation for neglect rehabilitation. *Appl Neuropsychol Adult.* 2016;23(5):313-321. doi:10.1080/23279095.2015.1038386
220. Spector RH. Visual Fields. In: Walker HK, Hall WD, Hurst JW, eds. *Clinical Methods: The History, Physical, and Laboratory Examinations.* Boston: Butterworths; 1990. <https://www.ncbi.nlm.nih.gov/books/NBK220/>.
221. Spiegel DP, Reynaud A, Ruiz T, Laguë-Beauvais M, Hess R, Farivar R. First- and second-order contrast sensitivity functions reveal disrupted visual processing following mild traumatic brain injury. *Vision Res.* 2016;122:43-50. doi:10.1016/j.visres.2016.03.004
222. Stephenson S, Anderson-Tome A, Fischer S, Guzman A, Meredith W, Somers C. Pilot study: Using the bioness integrated therapy system (BITS) to examine the correlation between skills and success with on-the-road driving evaluations. *Am J Occup Ther.* 2019;73(4_Supplement_1):7311515280p1-7311515280p1. doi:10.5014/ajot.2019.73s1-po4054
223. Striemer CL, Ferber S, Danckert J. Spatial working memory deficits represent a core challenge for rehabilitating neglect. *Front Hum Neurosci.* 2013;7:334. doi:10.3389/fnhum.2013.00334
224. Tant MLM, Cornelissen FW, Kooijman AC, Brouwer WH. Hemianopic visual field defects elicit hemianopic scanning. *Vision Res.* 2002;42(10):1339-1348. doi:10.1016/s0042-6989(02)00044-5
225. Ten Brink AF, Van der Stigchel S, Visser-Meily JMA, Nijboer TCW. You never know where you are going until you know where you have been: disorganized search after stroke. *J Neuropsychol.* 2016;10(2):256-275. doi:10.1111/jnp.12068
226. Ten Brink AF, Elshout J, Nijboer TCW, Van der Stigchel S. How does the number of targets affect visual search performance in visuospatial neglect? *J Clin Exp Neuropsychol.* 2020;42(10):1010-1027. doi:10.1080/13803395.2020.1840520
227. Ten Brink AF, Verwer JH, Biesbroek JM, Visser-Meily JMA, Nijboer TCW. Differences between left- and right-sided neglect revisited: A large cohort study across multiple domains. *J Clin Exp Neuropsychol.* 2017;39(7):707-723. doi:10.1080/13803395.2016.1262333
228. Tham K, Kielhofner G. Impact of the social environment on occupational experience and performance among persons with unilateral neglect. *Am J Occup Ther.* 2003;57(4):403-412. doi:10.5014/ajot.57.4.403
229. Tham K, Borell L, Gustavsson A. The discovery of disability: a phenomenological study of unilateral neglect. *Am J Occup Ther.* 2000;54(4):398-406. doi:10.5014/ajot.54.4.398
230. Tham K, Ginsburg E, Fisher AG, Tegnér R. Training to improve awareness of disabilities in clients with unilateral neglect. *Am J Occup Ther.* 2001;55(1):46-54. doi:10.5014/ajot.55.1.46
231. Thiagarajan P, Ciuffreda KJ. Pupillary responses to light in chronic non-blast-induced mTBI. *Brain Inj.* 2015;29(12):1420-1425. doi:10.3109/02699052.2015.1045029
232. Thiagarajan P, Ciuffreda KJ, Ludlam DP. Vergence dysfunction in mild traumatic brain injury (mTBI): a review: Vergence dysfunction in mild traumatic brain injury. *Ophthalmic Physiol Opt.* 2011;31(5):456-468. doi:10.1111/j.1475-1313.2011.00831.x

biVABA: Brain Injury Visual Assessment Battery for Adults

- 233.Thiagarajan P, Ciuffreda KJ. Versional eye tracking in mild traumatic brain injury (mTBI): effects of oculomotor training (OMT). *Brain Inj.* 2014;28(7):930-943. doi:10.3109/02699052.2014.888761
- 234.Thiagarajan P, Ciuffreda KJ. Effect of oculomotor rehabilitation on accommodative responsivity in mild traumatic brain injury. *J Rehabil Res Dev.* 2014;51(2):175-191. doi:10.1682/JRRD.2013.01.0027
- 235.Thimm M, Fink GR, Küst J, Karbe H, Sturm W. Impact of alertness training on spatial neglect: a behavioural and fMRI study. *Neuropsychologia.* 2006;44(7):1230-1246. doi:10.1016/j.neuropsychologia.2005.09.008
- 236.Tilikete C, Vighetto A. Oscillopsia: causes and management. *Curr Opin Neurol.* 2011;24(1):38-43. doi:10.1097/WCO.0b013e328341e3b5
- 237.Ting DSJ, Pollock A, Dutton GN, et al. Visual neglect following stroke: current concepts and future focus. *Surv Ophthalmol.* 2011;56(2):114-134. doi:10.1016/j.survophthal.2010.08.001
- 238.Toglia JP. Generalization of treatment: a multicontext approach to cognitive perceptual impairment in adults with brain injury. *Am J Occup Ther.* 1991;45(6):505-516. doi:10.5014/ajot.45.6.505
- 239.Trieu LH, Lavrich JB. Current concepts in convergence insufficiency. *Curr Opin Ophthalmol.* 2018;29(5):401-406. doi:10.1097/icu.0000000000000502
- 240.Trobe JD, Acosta PC, Krischer JP, Trick GL. Confrontation visual field techniques in the detection of anterior visual pathway lesions. *Ann Neurol.* 1981;10(1):28-34. doi:10.1002/ana.410100105
- 241.Turton AJ, Dewar SJ, Lievesley A, O'Leary K, Gabb J, Gilchrist ID. Walking and wheelchair navigation in patients with left visual neglect. *Neuropsychol Rehabil.* 2009;19(2):274-290. doi:10.1080/09602010802106478
- 242.Turton AJ, Angilley J, Chapman M, et al. Visual search training in occupational therapy – an example of expert practice in community-based stroke rehabilitation. *Br J Occup Ther.* 2015;78(11):674-687. doi:10.1177/0308022615600180
- 243.Uzzell BP, Dolinskas CA, Langfitt TW. Visual field defects in relation to head injury severity. A neuropsychological study. *Arch Neurol.* 1988;45(4):420-424. doi:10.1001/archneur.1988.00520280066017
- 244.Vallar G, Calzolari E. Unilateral spatial neglect after posterior parietal damage. *Handb Clin Neurol.* 2018;151:287-312. doi:10.1016/B978-0-444-63622-5.00014-0
- 245.Van Vleet TM, DeGutis JM. The nonspatial side of spatial neglect and related approaches to treatment. *Prog Brain Res.* 2013;207:327-349. doi:10.1016/B978-0-444-63327-9.00012-6
- 246.Vaphiades MS, Celesia GG, Brigell MG. Positive spontaneous visual phenomena limited to the hemianopic field in lesions of central visual pathways. *Neurology.* 1996;47(2):408-417. doi:10.1212/wnl.47.2.408
- 247.Varma R, Vajaranant TS, Burkemper B, et al. Visual impairment and blindness in adults in the United States: Demographic and geographic variations from 2015 to 2050. *JAMA Ophthalmol.* 2016;134(7):802-809. doi:10.1001/jamaophthalmol.2016.1284
- 248.Velozo CA, Warren M, Hicks E, Berger KA. Generating clinical outputs for self-reports of visual functioning. *Optom Vis Sci.* 2013;90(8):765-775. doi:10.1097/OPX.0000000000000007

249. Ventura RE, Balcer LJ, Galetta SL. The neuro-ophthalmology of head trauma. *Lancet Neurol.* 2014;13(10):1006-1016. doi:10.1016/S1474-4422(14)70111-5
250. Vision Rehabilitation. Aoa.org. <https://www.aoa.org/optometrists/tools-and-resources/vision-rehabilitation/neuro>. Accessed August 24, 2022.
251. Voleti VB, Hubschman JP. Age-related eye disease. *Maturitas.* 2013;75(1):29-33. doi:10.1016/j.maturitas.2013.01.018
252. Volkening K, Kerkhoff G, Keller I. Effects of repetitive galvanic vestibular stimulation on spatial neglect and verticality perception-a randomised sham-controlled trial. *Neuropsychol Rehabil.* 2016;28(7):1-18. doi:10.1080/09602011.2016.1248446
253. Wåhlin A, Fordell H, Ekman U, Lenfeldt N, Malm J. Rehabilitation in chronic spatial neglect strengthens resting-state connectivity. *Acta Neurol Scand.* 2019;139(3):254-259. doi:10.1111/ane.13048
254. Walle KM, Nordvik JE, Becker F, Espeseth T, Sneve MH, Laeng B. Unilateral neglect post stroke: Eye movement frequencies indicate directional hypokinesia while fixation distributions suggest compensational mechanism. *Brain Behav.* 2019;9(1):e01170. doi:10.1002/brb3.1170
255. Wansard M, Meulemans T, Geurten M. Shedding new light on representational neglect: The importance of dissociating visual and spatial components. *Neuropsychologia.* 2016;84:150-157. doi:10.1016/j.neuropsychologia.2016.02.006
256. Warren M. Pilot study on activities of daily living limitations in adults with hemianopsia. *Am J Occup Ther.* 2009;63(5):626-633. doi:10.5014/ajot.63.5.626
257. Warren M. A hierarchical model for evaluation and treatment of visual perceptual dysfunction in adult acquired brain injury, Part 1. *Am J Occup Ther.* 1993;47(1):42-54. doi:10.5014/ajot.47.1.42
258. Warren M. A hierarchical model for evaluation and treatment of visual perceptual dysfunction in adult acquired brain injury, Part 2. *Am J Occup Ther.* 1993;47(1):55-66. doi:10.5014/ajot.47.1.55
259. Warren M, Moore JM, Vogtle LK. Search performance of healthy adults on cancellation tests. *Am J Occup Ther.* 2008;62(5):588-594. doi:10.5014/ajot.62.5.588
260. Warren M. Identification of visual scanning deficits in adults after cerebrovascular accident. *Am J Occup Ther.* 1990;44(5):391-399. doi:10.5014/ajot.44.5.391
261. Watson GR, Quillman RD, Flax M, Gerritsen B. The development of low vision therapist certification. *J Vis Impair Blind.* 1999;93(7):451-456. doi:10.1177/0145482x9909300712
262. Watson G, Baldasare J, Whittaker S. The validity and clinical uses of the Pepper Visual Skills for Reading Test. *J Vis Impair Blind.* 1990;84(3):119-123. doi:10.1177/0145482x9008400304
263. Weiner WR, Siffemann E. The development of the profession of orientation and mobility. In: Blasch BB, Weiner WR, Welsh RL, eds. *Foundations of Orientation and Mobility.* New York: American Foundation for the Blind Press; 1997:553-579.
264. Weintraub S, Mesulam MM. Visual hemispatial inattention: stimulus parameters and exploratory strategies. *J Neurol Neurosurg Psychiatry.* 1988;51(12):1481-1488. doi:10.1136/jnnp.51.12.1481

biVABA: Brain Injury Visual Assessment Battery for Adults

- 265.What is a doctor of optometry. American Optometric Association. <http://www.aoa.org/about-the-aoa/what-is-a-doctor-of-optometry?sso=y>. Accessed August 23, 2022.
- 266.Williams RD. Neuro-Ophthalmology's SOS: Save Our Subspecialty. EyeNet Magazine. September 2020. <https://www.aoa.org/eyenet/article/neuro-ophthalmologys-sos-save-our-subspecialty>. Accessed August 23, 2022.
- 267.Williams LJ, Kernot J, Hillier SL, Loetscher T. Spatial neglect subtypes, definitions and assessment tools: A scoping review. *Front Neurol.* 2021;12:742365. doi:10.3389/fneur.2021.742365
- 268.Willis J, Ramulu PY. Poor vision and self-reported functional difficulties among recently hospitalized individuals in the United States. *Ophthalmic Epidemiol.* 2016;23(3):154-161. doi:10.3109/09286586.2016.1155717
- 269.Willard A, Lueck CJ. Ocular motor disorders. *Curr Opin Neurol.* 2014;27(1):75-82. doi:10.1097/WCO.0000000000000054
- 270.Wolberg A, Kapoor N. Homonymous Hemianopsia. In: StatPearls [Internet]. StatPearls Publishing; 2022.
- 271.Wolter M, Preda S. Visual deficits following stroke: maximizing participation in rehabilitation. *Top Stroke Rehabil.* 2006;13(3):12-21. doi:10.1310/3JRY-B168-5N49-XQWA
- 272.Wu Y, Hallett M. Photophobia in neurologic disorders. *Transl Neurodegener.* 2017;6(1):26. doi:10.1186/s40035-017-0095-3
- 273.Wu CY, Wang TN, Chen YT, et al. Effects of constraint-induced therapy combined with eye patching on functional outcomes and movement kinematics in poststroke neglect. *Am J Occup Ther.* 2013;67(2):236-245. doi:10.5014/ajot.2013.006486
- 274.Zihl J. Rehabilitation of Visual Disorders after Brain Injury. London, England: Taylor & Francis; 2021.
- 275.Zimmer HD. Visual and spatial working memory: from boxes to networks. *Neurosci Biobehav Rev.* 2008;32(8):1373-1395. doi:10.1016/j.neubiorev.2008.05.016
- 276.Zebhauser PT, Vernet M, Unterburger E, Brem AK. Visuospatial neglect - a theory-informed overview of current and emerging strategies and a systematic review on the therapeutic use of non-invasive brain stimulation. *Neuropsychol Rev.* 2019;29(4):397-420. doi:10.1007/s11065-019-09417-4
- 277.Zhang X, Kedar S, Lynn MJ, Newman NJ, Bioussse V. Natural history of homonymous hemianopia. *Am J Ophthalmol.* 2006;142(2):366. doi:10.1016/j.ajo.2006.06.023