

Visual Acuity Assessment

Client: \_\_\_\_\_ Therapist: \_\_\_\_\_

Date: \_\_\_\_\_ Referring Diagnosis: \_\_\_\_\_

**Eyewear Use**

Wears eyeglasses: \_\_\_ yes \_\_\_ no \_\_\_ single lens prescription \_\_\_ bifocal \_\_\_ nonprescription

Wears eyeglasses for: \_\_\_ all activities \_\_\_ only for reading \_\_\_ only for distance

Has worn eyeglasses since: \_\_\_ childhood (age: \_\_\_) adulthood (age: \_\_\_) \_\_\_ since brain injury

Has eyeglasses with them: \_\_\_ yes \_\_\_ no Eyeglasses condition: \_\_\_ good \_\_\_ dirty \_\_\_ damaged

Date of last eye exam: \_\_\_\_\_ Was eyeglass prescription updated? \_\_\_ yes \_\_\_ no \_\_\_ N/A

Comments: eye specialists, regular eye exams, eye conditions

**Key Visual Complaints/Observations**

\_\_\_ Blurry vision \_\_\_\_\_

\_\_\_ Difficulty accurately seeing colors \_\_\_\_\_

\_\_\_ Difficulty seeing in low lighting \_\_\_\_\_

\_\_\_ Difficulty seeing faint objects \_\_\_\_\_

\_\_\_ Vision changes throughout day \_\_\_\_\_

\_\_\_ Phantom vision episodes \_\_\_\_\_

\_\_\_ Bothered by light \_\_\_\_\_

\_\_\_ Can't see well in the dark \_\_\_\_\_

\_\_\_ Difficulty adjusting lighting changes \_\_\_\_\_

Comments:

**Pupil Size and Symmetry** Client focuses on distant target

**Pupils:** \_\_\_ symmetrical \_\_\_ asymmetrical

**R** pupil size: \_\_\_ normal \_\_\_ dilated \_\_\_ constricted

**L** pupil size: \_\_\_ normal \_\_\_ dilated \_\_\_ constricted

Draw or comment:



biVABA: Brain Injury Visual Assessment Battery for Adults  
Visual Acuity Assessment

**Eye Dominance:** *Client repeats the test 3 times.*

\_\_\_ number of times used right eye to view flower \_\_\_ number of times used left eye to view flower

Comments:

**Distance Acuity**

**Key Complaints/Observations**

- \_\_\_ Difficulty reading community signage \_\_\_\_\_
- \_\_\_ Difficulty seeing television, reading TV crawler \_\_\_\_\_
- \_\_\_ Difficulty seeing stoplights, pedestrian signals \_\_\_\_\_
- \_\_\_ Uses flashlight to see details, needs additional light \_\_\_\_\_

**LeaNumbers Intermediate Acuity Test Chart** *Test order: dominant eye, non-dominant eye, both eyes together*

Right Eye:	Left Eye:	Eyes Together:
Snellen: 20/_____	Snellen: 20/_____	Snellen: 20/_____
Metric: 1/_____	Metric: 1/_____	Metric: 1/_____
M size: _____	M size: _____	M size: _____

Key Observations: \_\_\_ turns head \_\_\_ tilts head \_\_\_ shuts 1 eye \_\_\_ leans in to view

Comments:

**Reading Acuity**

**Key Complaints/Observations**

- \_\_\_ Difficulty reading small print \_\_\_\_\_
- \_\_\_ Difficulty reading faint print \_\_\_\_\_
- \_\_\_ Bothered by light reflecting from page \_\_\_\_\_
- \_\_\_ Blinks, moves text closer or farther away \_\_\_\_\_
- \_\_\_ Squints or shuts one eye to read \_\_\_\_\_
- \_\_\_ C/O Frequent headaches from reading \_\_\_\_\_
- \_\_\_ C/O Eyes get dry, irritated when reading \_\_\_\_\_

biVABA: Brain Injury Visual Assessment Battery for Adults  
Visual Acuity Assessment

**Warren Text Card:** *Client reads sentences using both eyes together at 16-inch/40cm distance.*

Snellen: 20/\_\_\_\_\_ Smallest print size read: \_\_\_\_\_ Magnification diopters needed: \_\_\_\_\_

**Key Complaints/Observations:**

\_\_\_\_\_ omitted letters/words on \_\_\_\_\_ R side \_\_\_\_\_ L side \_\_\_\_\_ views text out of corner of eye \_\_\_\_\_  
more errors on larger text \_\_\_\_\_ complains print swirls; shimmers, is distorted

Comments:

**SPANISH**

Vete sin la piña  
Pinta el carro antes de irte  
Atrás del tarro está la llave  
Tita metió la pasta  
Los anteojos reflejan el arcoiris  
El gato se metió en sarro  
Es mejor mantener la oración completa  
Isabella se rompió el antebrazo  
Gabriel no debería probar el jugo  
Ninguno encontró el dinero perdido  
Adriána no puede hacer esa treta  
Carla no puede cambiar el portaretrato  
Luisa no tiene canas verdes  
Ese dolor es insoportable

**ENGLISH**

Leave without the pineapple  
Paint the car before you leave  
Behind the pot is the key  
Tita put in the pasta  
The glasses reflect the rainbow  
The cat got into crust/deposit (from bottom of a jar)  
It is best to keep the sentence complete  
Isabella broke her forearm  
Gabriel should not taste the juice  
Nobody found the missing money  
Adriana cannot do that trick  
Carla cannot change the picture frame  
Luisa does not have greenish gray hairs  
That pain is unbearable

**Contrast Sensitivity**

**Key Complaints/Observations:**

- \_\_\_\_\_ Complains of inability to recognize faces
- \_\_\_\_\_ Performance on tasks or ambulation decreases in dimly lit surroundings
- \_\_\_\_\_ Difficulty or unable to accurately distinguish colors of similar hues
- \_\_\_\_\_ Requests additional lighting for tasks
- \_\_\_\_\_ Difficulty reading faint print
- \_\_\_\_\_ Mis-judges depth and distance
- \_\_\_\_\_ Misses subtle details in environments

**LeaNumbers Low Contrast Acuity Flip Chart:** *Client views cards using both eyes together at 40cm/16-inch distance.*

Lowest Contrast Level: \_\_\_\_\_ 1.25 % \_\_\_\_\_ 2.5% \_\_\_\_\_ 5% \_\_\_\_\_ 10% \_\_\_\_\_ 25%

Comments: